# DISCUSSION PAPERS IN ECONOMICS

Working Paper No. 23-02

! "#\$%#&"&'() \*#+\*, - "&'(./0 \*'(/#+(12 \* %3(  $(4*5/3$ \$&3\* $(\frac{\#}{6}/\sqrt{9})$ \$(\$\; 0 \*') ļ  $\bar{1}$  $\mathbf{I}$ 

Depar men of Economics

 $\Box$ 

Uni ersi of Colorado Bolder Bo Ider, Colorado 80309

# Continuous Rendezvous Games and Their Departure and Wait Times

Joongsan Hwang

October 7, 2023

people attempting to rendezvous need to consider and make. What makes this game complex is that there are many stochastic factors such as road conditions involved. People cannot just start for the meeting place and arrive exactly when they want to. This means that a trivial solution

case, I nd pure strategy Nash equilibria characterized by two parametends. These parameters respectively represent the earliest time at which players might depart and the latest time at which players might depart, according to the players' strategies. So the parameters describe how start time variation makes the players' departure times vary.

In subsection 4.1, for given departure times of the players, once the lower bounds on the player's value of the meeting are satis ed, players' values of the meetings can be arbitrarily higher in the pure strategy Nash equilibria. It is not necessary the player with the comparatively higher value of meeting that departs rst in the pure strategy Nash equilibria. In the context of meetings involving the head of states, this means that the heads can deliberately depart late for a meeting and have the others wait for them.

In subsection 4.2, the Nash equilibria have low meeting probability because players do not always come nor wait for each other. If players compensate each other for arriving early and waiting, players might increase meeting probability and both their expected utilities. When monetary compensations are dif cult to implement, non-monetary compensations such as agreeing that "the person who arrives late pays for the meal" can work in their place.

However, unilateral punishments for late arrival that go beyond compensation may decrease social welfare by harming the player who arrives earlier than the other player to avoid punishplayer's arrival and the cost of wait. In studying R&D, many papers have used the approach of nding the rms' optimal research decisions by comparing the hazard rate of invention and the cost of R&D. Kamien and Schwartz (1972) was the rst to analyze multi-player R&D models using hazard rates of inventions. However, in this paper, the rm considered only the hazard rate of invention for the composite rival and not its own hazard rate of invention. By doing so, the rm found the optimal invention time. In other words, the rm, unlike its rivals, is able to determine a invention time for its product.

All other subsequent papers I mention that study R&D using hazard rates instead have hazard rates of invention for all rms and nd game theoretic solutions by considering the rms' hazard rate with the costs of R&D. Loury (1979) and Lee and Wilde (1980) deal with a setting where every rm is identical. By comparing the hazard rate of invention and costs of R&D, rms nd the optimal investment in R&D to maximize expected pro<sup>2</sup>tsReinganum (1983) analyzes an asymmetric setting with an incumbent rm and a challenger rm. This paper nds that the challenger invests more in R&D because the challenger has more to bene t from investment since it does not have current revenue. Doraszelski (2003) shows that when the rm's hazard rate of invention is a weakly increasing function of the rm's knowledge stock, the rm that is behind in R&D may invest more in R&D than the rm that is ahead.

Many different causes can result in varying travel times (Kwon et al. 2011; Wong and Sussman 1973). Iida (1999) de nes travel time reliability as the probability of reaching the destination within a given time. The value of travel time reliability depends on the traveller's preferences. Polak (1987) and Senna (1994) derived expected utility formulas in which the value of travel time reliability was made explicit. Small (1982) was the rst to derive the Noland-Small equation<sup>4</sup>. The Noland-Small equation attempts to take into account the realistic considerations that go into scheduling a trip. Travellers want shorter travel times. They also do not want to arrive too early or too late. From the equation, I utilize the idea that the cost of travel time, cost of arriving early and the cost of arriving late can be separated and expressed additively. In the context of my model, the cost of arriving early becomes the cost of increased wait and the cost of arriving late becomes the loss from decreased meeting chance.

2. Choi (1991) is the seminal paper in which rms have the option to drop out from R&D. In my model, this dropping out is comparable to giving up on the meeting and abandoning the meeting place. Choi (1991) assumes that rms do not know their hazard rates of inventions. However, they observe the state of the other rm. Therefore, if the other rm makes partial progress on the invention, depending on the parameters, this can lead the rm to either drop out because of the technological gap or continue R&D because the rm now has reason to believe that the hazard rate of invention is hig002rms nohig002rmspartial p

# 3 Model

The rendezvous game has two people, player 1 and player 2, who make decisions about the meeting. Each person needs to decide by herself 1) whether she wants to come to the meeting at all, 2) when to depart for the meeting and 3) how long she waits for the other person at the meeting place. In making these decisions, people consider both the consequences of their own actions and the actions of the other person. While there is a bene t to a successful meeting, this comes at a cost of travelling time and potential waiting time. Leaving too early for the meeting place can mean the person has to wait longer for the other person. Leaving too late might cause the person to miss the other person entirely. People take these factors into consideration while choosing when to leave for the meeting.

#### 3.1 Payoffs

To model the considerations of the play et 1;2g, I use an expected utility framework following Morgenstern and Von Neumann (1953). When a player does not come to the meeting, her times to the meeting place, as random variables the realization of which players do not know before travelling.

By "continuous rendezvous games", I mean that in this paper, for the most<sub>i</sub>pfaltows a continuous distributio $\hat{P}$ . The codomains of the's are R<sub>+</sub>. The r<sub>i</sub>'s are independent of each other and the  $j$ 's. If a CDF exists for  $j$ , the CDF isG and if the PDF exists for  $j$ , it is g i.

#### 3.3 Stages

This is a 2-stage sequential game. playeceives a private start time, Then, player chooses whether to depart for the meeting place. If she chooses to depart, she also chooses a departure time,  $d_i$  s and receives an arrival time, =  $d_i$  +  $r_i$ .  $d_i$ ,  $r_i$  anda are also private. Given that player(s)i and j chooses (choose) to depart and di are conditionally independent. Later on, in specifying the distribution on  $\mathbf{a}_i$ ,  $\mathbf{G}(t)$   $\frac{1}{\mathsf{R}}$   $\mathsf{P}(\mathbf{a}_i \quad t)$  is used. If player always comes to the meeting,G(t) is a CDF ofa<sub>i</sub> andG(t) =  $^G$ G<sub>i</sub>(t d<sub>i</sub>)P(dd).<sup>7</sup> If G(t) has a PDF, it is written as  $g(t)$ . The follwing is the speci cation of the stages, which is depicted in gure 1.

- Pre-game Setup
	- 1. Nature assigns each player random start times  $0.$
- Simultaneous Actions in Stage 1
	- 1. Each player decides on whether they will travel to the meeting place.
	- 2. Each playeri who decided to travel decide the time at which they will depart for the meeting place. This time is called the departure tim $\spadesuit$  ors.
- Simultaneous Actions in Stage 2
	- 1. Nature decides the's for player who decided to travel in stage 1.
	- 2. After seeing their owna  $= d_i + r_i$ 's, each player who decided to travel privately decides the time beyond which they will not wait and instead, abandon the meeting place. This time is called planned abandonment time orplayeri who travels choose $\mathbf{x}_i$  2 [0;¥], in other words $z_i$  is an element of the extended real line.
- Payoffs
	- 1. Players' payoffs are their expected utilities from the game. Given all the decisions of the two stages, the rendezvous game is played out in the following way. Players who decided not to come do nothing. Players who decided to come depart for the meeting place at and realize travel time, Now, their arrival time isa  $d_i$  +  $r_i$ . Given their arrival time, we also have their actionable abandonment time,  $z_i$  maxf a<sub>i</sub>, z<sub>i</sub>g. This $z_i$  is private information. The rendezvous is successful if and only if both players come and that  $a_1$ ;  $a_2$ g minf  $z_1$ ;  $z_2$ g. If the rendezvous fails, players who came leave the meeting spa $\alpha$  at

6. It takes on uncountably many values.

o. it takes on uncountably many vadues.<br>7. I will explain the integralG(t) =  $\Gamma$ G<sub>i</sub>(t ol,) P(dd). If player i is to arrive no later than t, given d<sub>i</sub>, playeri's travel time must be no more than d. Hence, the integrand **G**<sub>i</sub>(t d<sub>i</sub>). I integrate over all d<sub>i</sub>.



Figure 1: The stages of the game

For convenience, I de ne a random variable M the following way.

 $\prime$ 

 $\overline{ }$ 

$$
M = \begin{cases} 1 & \text{if } \text{max } a_1; a_2g \\ 0 & \text{otherwise} \end{cases}
$$
 minf z<sub>1</sub>; z<sub>2</sub>g (i.e. if  $\text{rendezvous } \text{success } a_1$ ) (2)

By this de nition, E(M) becomes the probability of the players meeting.

A noteworthy point is that the players do not decide on their wait timeswithelirectly. In fact, players indirectly plan their wait times using their planned abandonment time. A player's actual wait time depends on when she and the other player arrive. The following is the exact formula for wait times.

$$
w_i = \begin{cases} \text{max } a_1; a_2g \quad a_i & \text{if } M=1\\ z_i & a_i \end{cases}
$$
 otherwise (3)

The logic for this indirection is similar to before. Once the players depart for the meeting place, there is nothing they can do to change the other player's arrival time. Furthermore, how long the players wait or when the players abandon the meeting place depends on the probability

8. By Lebesgue's dominated convergence theorem, Lebesgue integrable and equivalently M) is nite.

distribution of the other player's arrival. Given the player's departure and arrival time, the ex ante distribution of the other player's arrival tells the player when it is no longer worth it to wait for the other player. The player would set that time as the planned abandonment time.

Actionable abandon timez<sub>i</sub>, exists to deal with cases where a player arrives after her planned abandonment time. In that case, the player would want to leave immediately unless her opponent is already at the meeting place. Then, the arrival time, not the planned abandonment time is when she abandons the meeting place should she fail to meet. The meeting happens if and only if both players arrive before any player would abandon the meeting place,

In this game, players can play mixed strategies. Thus, for a given arrival aimalayer i might have in nitely many optima $\mathtt{z}_i$ 's or a unique optima $\mathtt{z}_i$ . Of course, the same is true for z<sub>i</sub> as well. Therefore, I need notations that can signify those different cases. The following introduces those notations.

I can de ne the correspondence(ai) the following way when the set on the right-hand side is not empty for a given arrival tima,

 $z_i$   $(a_i)$  =

arrival is actually the value of the PDF of the other player's arrival). On the other hand, the cost of actionable desertion time is the conditional expectation the players haven't met,  $E(1_{P(z_i < a_i)};a_i)$ + 1 G  $_i(z_i)$  times the marginal cost of waiting at the actionable desertion time. To state intuitively, in deciding whether to wait marginally more, the player considers the bene-t given by multiplying the value of the meeting and the probability that the other player player will arrive during the marginal wait time. The player considers the cost given by multiplying the probability that the player actually has to wait and the marginal cost of wait.

I will explain this "probability" that the player actually has to wait in more detail. Obviously, the player only needs to wait if she hasn't met the other player yet. If she has, there is no wait. When the player has not meet the other player, she considers the two potential possibilities for why this has happened. The other player may have left early or he may have not come yet. To be elaborate, the rst possibility  $E(1_{P(z_i < a_i)}|a_i)$  is the conditional expectation that the other player already came and left the meeting place. The second possibilite  $f(z)$  is the probability that the other player will arrive in the future.

When player i's arrival timea<sub>i</sub> is known and the probability that player -i abandoned the meeting place before this arrival time(1 $_{\mathsf{P}(\mathsf{z}\ _i<\mathsf{a}_i)}$ ja $_{\mathsf{i}}$ ) is 0, equation 4 can be restated as follows.

$$
\frac{\P E(u_j|d_j; a_i; z_i)}{\P z_i} = g_{i}(z_i)\bar{m}_i \quad (1 \quad G_{i}(z_i)) \frac{\P G(a_i \quad d_i; z_i \quad a_i)}{\P z_i}
$$
(5)

Because equations 4 and 5 are dif cult to analyze, I use the following formula. This formula sinas hap.559 -134549 Td 5me.

#### 4 Results

#### 4.1 Degenerate start times

Assumption 1. The following formulas hold for all  $2$  f 1;2g.

 $s = 0$ 

If  $r_i$  exists,  $r$   $U(0;1)$ .

 $c_i(r_i; w_i) = r_i + w_i$ 

Assumption 1 speci es the start times, thes, the travel times, the 's and the costs, the  $G(r_i; w_i)$ 's for this subsection. Here, players always start at time 0 and their travel time is distributed uniformly. Cost is the sum of travel time and wait time,

Assumption 2. Suppose that for any player i, xed a 0 and xed  $z_i$  a<sub>i</sub>,  $E(Mja_i;z_i) = 1$ . Then, for any that player i plays for a given  $az = z_i$ .

Assumption 2 caps how high planned wait time and actionable wait time can be for its cases. It states that for a given arrival time  $a_i f = 0$ , if waiting till time  $z_i = a_i$  is suf cient to guarantee a meeting probability of 1, playernever waits be0 Td  $[(ne)25(v)15(er)-320(w)-3200J -309o8 0 Td [19 T02]$ 

Proposition 1. Under assumptions 1 and 2, the following for some i is necessary and suf cient for a pure strategy Nash equilibrium with  $(\mathbb{H}) > 0$ . (In stating the following, I ignore 0 probability events and planned abandonment times for cases where the player has a 0 probability to wait)

(1)  $\bar{m}_i$  max<sup>t (d<sub>i</sub> d<sub>i</sub>)<sup>2</sup></sup>

Note that by (1) and (2) $m_2$  needs to satisfy bot $m_2$ <sup>-</sup>  $m_2^0$ (d<sub>1</sub>;d<sub>2</sub>) and  $m_2$   $m_2^0$ (d<sub>1</sub>;d<sub>2</sub>) while  $\bar{m}_1$  only needs to satisf $\pmb{m}_1^{\text{-}}$   $\qquad \pmb{m}_1^{\text{O}}(d_1;d_2)$ .  $\bar{m}_2$   $\qquad \pmb{m}_2^{\text{O}}(d_1;d_2)$  comes from the requirement that player 2 weakly prefers not to delay departure. (For player 1, the condition that she weakly prefers to not delay departure is not bindin $\bm{g_{2}}$   $^{-}$  m $_{2}^{0}$ (d<sub>1</sub>;d<sub>2</sub>) and $\bar{\mathsf{m}_{\mathsf{1}}}$   $^{-}$  m $_{\mathsf{q}}^0$  $\frac{10}{1}$ (d<sub>1</sub>;d<sub>2</sub>) come for the requirement that player 2 and player 1 respectively weakly prefer to come to the meeting place. There is no upper bound on the players' values of meeting. Once the lower bounds on the players' values of meeting in (1) and (2) are met, players can have much higher values of meeting. Givend<sub>1</sub> d<sub>2</sub>, either player can value the meeting more highly in a pure strategy Nash equilibrium.

Since players always meet in the Nash equilibria of the proposition and  $\bar{m}_1$  are respectively player 2 and 1's expected bene ts in the Nash equilib**ris** $d_1$ ,d<sub>2</sub>) andm $d_1$ (d<sub>1</sub>;d<sub>2</sub>) are respectively player 2 and 1's expected costs in the pure strategy Nash equilibria. Note that when  $d_1 = d_2$ , the expected costs are equal and  $\lceil m_2^0/1 \rceil, d_2$  is not binding. Proposition 1's (3) saysd<sub>2</sub> d<sub>1</sub> < d<sub>2</sub> + 1. There is no pure strategy Nash equilibrium wdth d<sub>2</sub> = 1. This is becaus **e**d<sub>1</sub> d<sub>2</sub>! 1, m<sub>2</sub><sup>0</sup>(d<sub>1</sub>; d<sub>2</sub>) =  $\frac{(d_2-d_1)^2+1}{2(d_2+1-d_1)}$  $\frac{(d_2 \cdot d_1)^{-1} + 1}{2(d_2 + 1 \cdot d_1)}$  ! \;

Proposition 2. When  $d_1 < d_2$  d<sub>1</sub>, the following holds.

(1)  $\mathsf{m}_2^0$ ,  $\mathsf{m}_2^{00}$ and  $\mathsf{m}_1^0$  +  $\mathsf{m}_2^0$  areaswing d

\*1)  $m_1^0$   $\neq$ cab $z$ aswing d

#### **a**boever Proposition Helpseanalyze **ær@Þr**BB&Gifl6HHéfp3e7an51V3

that the players always meet the Nas equilibriasociualare and the(more)-3 ,())-103(mans1)-103(that)-103ie

2(d<sub>2</sub>+1 d<sub>1</sub>) 1 = 1



Figure 2:  $\frac{g_1(z_2)}{1-G_1(z_2)}$  m̄2,  $g_1(z_2)$  and  $\frac{\P C_2}{\P z_2}$  whena<sub>2</sub> = 1:5 for example 1

- (2)  $\bar{m}_1 = \frac{1}{2}$  $\frac{1}{2} + \frac{(d_2+1 \ d_1)^3}{6}$ 6 0:52
- (3)  $d_1 = 2$
- (4)  $d_2 = d_1$  0:5 = 1:5
- (5)  $z_1 = d_2 + 1 = 2:5$
- (6)  $z_2 = d_1 + 1 = 3$

Proof. The proof is by proposition 7 in appendix 2.

Now using hazard rate analysis, I will roughly explain why for speci-c arrival times, players nd it optimal to wait till the other player arrives. For this, I use example 1 and gure 2 which is on this example. However, the explanation applies to any player in any Nash equilibrium of proposition 1. The gure draws functions with, the actionable abandonment times on the X-axis. This will help me  $\,$ nd the optima $t$ i. Figure 2 depicts $\frac{g_-(z)}{G_+(z)}$ m̄, player –i's hazard rate of arrival atz times player i's value of meetingn, player -i's density of arrival at;, g ;(z) and nally  $\frac{\P G(a_i - d_i; z_i - a_i)}{n}$ 

start time variation means that players may be unable to depart as early as they want to. The travel times,r<sub>i</sub>'s are also uniformly distributed for players who travel. For this subsection, proofs not found here are in appendix 3. The exact distributions are speci-ed in the following assumption. This assumption for both players lays out the basic setting of the model.

Assumption 3.  $S_i$   $U(0; 1)$ If  $r_i$  exists,  $r \cup (0,1)$ .

When players are able to depart as early as they want to because of start time variation, they might depart later than they want to or not depart for the meeting. In order to describe these phenomena and strategies, I de ne two additional variables of s in the de nition below. The main focus of this subsections is symmetric Nash equilibria when the players face such  $const$ raints<sup> $12$ </sup>

De nition 2. s 2 [0; 1) is used for the earliest departure time by the players' strategies.

 $\bar{s}$  2 (s; 1] is used for the earliest departure time by the players' strategies.

In the following assumption I explain how exactly player's strategies depens bands.

Assumption 4.

If  $s_i$  s,  $d_i = s$ . If  $s_i$  2 ( $\underline{s}$ ,  $\overline{s}$ ],  $d_i = s_i$ . If  $s_i$ 



Figure 3: A PDF of de nition 3 with polygons delineated

De nition 3.

(1) The following is a CDF.

G¯(x) = 8 >>>>>>>>>>>< >>>>>>>>>>>: 0 x s x <sup>2</sup> s 2 2 x 2 [s;s¯] sx¯ s¯ <sup>2</sup>+ s 2 2 x 2 [s¯;s+ 1] s¯ (s¯+ 1 x) 2 2 x 2 [s+ 1;s¯+ 1] s x ¯ 2 [s¯+ 1;10] (1 s¯)x+ 11¯s 10 x 2 [10;11] 1 x 11

(2) The following is a PDF  $\overline{oG}(x)$ .  $\sim$ 

$$
\begin{array}{rcl}\n\mathbf{y} & \mathbf{y} & \mathbf{y} & \mathbf{y} \\
\hline\n\mathbf{y} & \mathbf{y} & \mathbf{y} & \math
$$

The CDF and PDF from the above de nition lets me consider the players' arrival times as

only have a positive probability of departing at and she has a 0 probability of departing at any other point. The area of  $A$  is The higher thes, the greater its area.

Going back to gure 3, the B quadrilateral is from the player's departure after cases where the player arrives before 1 or ats  $+ 1$ . The upward sloping edge of the B quadrilateral is due to the fact that if the player starts atsenut not afters, she departs immediately, adding on to the area of the B quadrilateral. Lastly, the C triangle is from cases where the player arrives afters+ 1. Player only arrives after + 1 when she departs after This results in the downward sloping edge of the C triangle, which shows how the density of the players' arrival decreases afters + 1. In fact, unless = 0, the PDF jumps downwards  $a + 1$ . This decline in the PDF justi es why the players set their planned abandonment times to and do not wait aftex+ 1.

The following de nition introduces two functions used in concisely stating and proving the results of this subsection.

De nition 4.

$$
\overline{i}(\underline{s}; \overline{s}) \quad \frac{6 + 2(\overline{s} + 3)(\underline{s} + 1 \ \overline{s})^3 + 3((\overline{s} \ \underline{s})^2 \ 2\underline{s})(\underline{s} + 1 \ \overline{s})^2}{(12\overline{s} \ 6(\overline{s} \ \underline{s})^2)(\underline{s} + 1 \ \overline{s})}
$$
\n
$$
\overline{w}(\underline{s}; \overline{s}) \quad \frac{1}{\overline{s}} \frac{\overline{s}}{\underline{s}} + \frac{\overline{s}}{2} \frac{\overline{s}}{2}
$$

Proposition 3. Under assumption 3 for both players, assumption 4 for both players is a pure strategy Nash equilibrium if and only  $\vec{m}_1 = \vec{n}_2 = \vec{i}(s; \vec{s})$   $\vec{w}(s; \vec{s})$ 

 $\overline{i}(s;\overline{s})$  is the function used for the indifference condition, =  $\overline{i}(s;\overline{s})$ .  $\overline{w}(s;\overline{s})$  is the function used for the wait cap condition,  $\bar{w}(s,\bar{s})$ . These two conditions are used to describe the symmetric pure strategy Nash equilibria of proposition 3. Under assumption 3 for both players, if and only if both conditions hold for both players, assumption 4 for both players is a Nash equilibrium. (In these Nash equilibria, by lemma 2 and formula 8, the meeting probability is  $(\bar{S} \frac{(\bar{S} \cdot S)^2}{2})$  $\frac{S^2}{2}$ )<sup>2</sup>.)

The rst condition,  $\bar{m} = \bar{i}(\bar{s}, \bar{s})$  means that player i's utility must be 0 when she departs at s and has a planned abandonment time  $\sigma$   $s + 1$ .<sup>13</sup> In other words, player i must be indifferent between departing  $\text{at} \bar{\sigma}$  play  $z_i = s+1$  and not departing at all. Therefore, I call this the indifference condition. In gure  $\mathbf{E}(\mathsf{m_jd_i})$  and $\mathsf{E}(\mathsf{c_jd_i})$  respectively represent player i's bene t and cost when she departs and play $\mathbf{x}_\mathrm{i}$  =  $_\mathrm{S+}$  1. (Figure 4 is drawn using proposition 9 in appendix 3.) In gure 4 and any Nash equilibrium of proposition 3, the two curves intersect atd<sub>i</sub> = s. Therefore, player i's expected utility  $dt =$  sis 0. So player i nds it optimal to come to the meeting when she starts befoce ats. It also means that she nds it optimal to not come to the meeting if she starts later.nif is higher,E(mjd;) increases at = s and the intersection moves to the right. In this case, player i prefers to increase her latest departure timmes If lower,  $E(mjd_i)$  decreases  $a t = \bar{s}$  and the intersection moves to the left. In this case, player i prefers to decrease her latest departure time.

The second condition,  $\bar{w}(s,\bar{s})$  is necessary for a player i who arrives to weakly prefer a planned wait time ofs+ 1 to a greater one. Hence, I call this the wait cap condition. I will explain this condition roughly using gure 5. Figure 5 applies the aforementioned technique of converting the distribution of player -i's arrival time,  $_1$  to follow de nition 3 so that a CDF and a PDF exist to represent<sub>i</sub>. Then, I can perform hazard rate analysis under the restriction of z<sup>i</sup> 2 [a<sup>i</sup> ;8].

13. This condition also implies that a participating player i weakly prefers a planned wait time of  $z_i = s + 1$  to a smaller one. This implication is shown by lemma 28 in appendix 3.



Figure  $4$ :E(mjd<sub>i</sub>) and E(c<sub>i</sub>jd<sub>i</sub>) whens = 0:3 and  $s$  0:57



Figure 5: Hazard rate analysis using converted whens

meeting engender low meeting chance in the Nash equilibria. Recall that the player's strategies are symmetrical in the Nash equilibria. I  $\ll$  1 and start from a Nash equilibria with high Here, for low values of meeting, players are willing to haves their latest departure time. Now, refer to gure 4. For thi $\mathbf s$  ands, if players' values of meeting $\eta_1$  and $\bar{\eta_2}$  are higher, this is no longer a Nash equilibrium becau&njd;), player i's expected bene t for speci c departure times would increase  $at = 5$ . Therefore, players prefer to deviate to a higher latest departure time and increase their departure probabilities.

Next, suppose the players change their departure strategy so that they have sblot the sames<sup>-</sup>This is a more demanding departure arrangement. Refer to gure 4 again. For the original players' values of meetin $\mathbf{\mathfrak{F}}(\mathsf{m_jd_i})$  is below $\mathsf{E}(\mathsf{c_jd_i})$  at  $\mathsf{d_i} = \bar{\mathsf{s}}$ . Therefore, players prefer to deviate to a lower latest departure time. In other words, because they do not nd it worthwhile to adhere to such a demanding departure arrangement and "fall off" by reducing arrival probability. In order for them to nd it worthwhile to adhere to the departure arrangement, their values of meeting must increase when becreases.

### 5 Discussion

#### 5.1 Hazard rates and waits

The hazard rate of the other player's arrival often plays a key role in a player's wait decision. I will explain this informally. Usually, by comparing  $\frac{g_{i}(z)}{G_{i}(z)}$ m to  $\frac{\P_{G}(a_{i} - d_{i};z - a_{i})}{\P{z}}$  $\frac{q_{i},q_{i}-q_{i}}{q_{i}}$ , the player can gure out the sign of the marginal utility of actionable wait time, Here,  $\frac{g_i(z)}{1 - G_i(z)}$  is the hazard rate of the other player's arrival which represents how likely the other player is to arrive marginally given that she has not arrived yet. To use this comparison, if the other player arrives rst, she needs to wait until the player arrives. To restate, in deciding to wait marginally, the player looks at her values oftimeher4 9(the)7parture th5lues ofth60.9091 Tf -250(departure)-2501F28 7.9 implies that people who value the meeting highly enough to travel to it are willing to wait for it. Therefore, in reality, people would be likely to plan to wait for a substantially long time.

#### 5.2 Strategic complementarity of arrivals and planned waits

I will rst explain the strategic complementary of arrivals. The model always has a trivial pure strategy Nash equilibrium where both player never come to the meeting place. Here, no player ever comes because the other player never comes. When the players' values of meeting are suf ciently high, this Nash equilibrium coexists with Nash equilibria where players come and meet with positive probability such as those in propositions 1 and 3.

Now I will discuss the set of Nash equilibria of proposition 3 using gure 6. Here, as shown in proposition  $4s$  is decreasing in the players' values of meeting, and  $\bar{m}$ . This means that players' departure probability and meeting probability are decreasing in the players' values of meeting. In these Nash equilibria,  $\epsilon^{-1}$  is true and strategic complementary of arrival works to lesson the departure probability of both players. In other words, because a player does not always come in the Nash equilibria, the other player also chooses to not always come.

To see this in the gure, pick a point on thes;  $\overline{s}$ ) line wheres 2 (s;s]. (Recall that the  $\overline{i}$ (s; s) line is where players are indifferent between departing for the meeting place and not departing) On this point, x the values of the players values of meetingand m<sub>2</sub> as  $m_1 = m_2 = i(s, \overline{s})$ . Here, there exists a Nash equilibria of proposition 3. For a higher and  $\bar{m}_2$  are above the  $(s; \bar{s})$  line. This means that if any player deviates from the Nash equilibrium strategy to play a strategy where they depart even if they start later than other player will be willing to also depart even if they start later than This demonstrates that both players are stuck at the Nash equilibria with low arrival probability and meeting probability because the other player plays the strategy with the low  $\overline{\phantom{a}}$ 

#### 5.3 Meeting values and departure times

In the Nash equilibria of proposition 1, the player who departs earlier is not necessarily the player who values the meeting more. Once the lower bound conditions of the proposition's (1) and (2) are met, the players' values for the meeting can be arbitrarily higher. Proposition 2 reveals that in these Nash equilibria, the comparatively earlier the player departs, the higher her expected cost. Therefore, players want to depart late and have the other player wait for them. Proposition 2's (1) shows that the sum of the players' expected costs is increasing in the absolute value of the difference in players' departure times. The player who departs earlier incurs excessive expected wait cost from a social welfare perspective and the more the players departure times differ, the lower the social welfare.

has to be on or above thes s) line so that the players are willing to departsat The gures show that this does not necessary require that  $\bar{m}_2$  be higher than the level at the Nash equilibria of the proposition. When  $\bar{s}$ ,  $\bar{m}_1$  and  $\bar{m}_2$  take on the values, the wait cap condition, 8i 2 f 1; 2g;  $\bar{m}$  w $(s, \bar{s})$  is violated so players prefer to wait beyonde 1 when they arrive. Another way to see this is to look at gures 3. In gure 3, increasing so increases the

settings, unilateral penalty provisions that go beyond estimated damages can result in a decrease in social welfare.

The Nash equilibria of proposition 1 applies to the supply chain setting in the following way. From the upstream's perspective, departure corresponds to the rm starting work on the project or the product contracted by the downstream. Arrival corresponds to the rm nishing the contracted work on this project or product. This can be delivery or installation of the product. Wait time corresponds to the time from the completion of the upstream's work to when the downstream rm actually makes use of what the upstream completed.

From the downstream's perspective, departure means the downstream begins preparations for making use of the upstream's project or product. This preparation can be making space in its shelves or warehouses to place the product. It can also be readying the environment for the upstream's work or the installation of the product. In other cases, the downstream might prepare parts or equipment it will use in conjunction with the upstream's product. Arrival means completion of the preparations. Wait time is the time from the completion of the preparations to when the downstream actually starts makes use of the product or project from the upstream -rm.

The meeting succeeds when the downstream rm receives the upstream rm's project or product and starts to make use of it. For instance, if the downstream starts using the parts from the upstream rm in assembly, that corresponds to a successful meeting. If the downstream rm displays and starts selling the product it receives from the upstream rm, that also corresponds to a meeting.

Consider the following unilateral penalty. If player 2 arrives late, she pays player 1 but player 1 never pays player 2. Player 2 needs a high value of the meeting for her to depart comparatively early and pay the high expected cost. A high ne on player 2's late arrival, provides the incentive for player 2 to not delay departure. By having player 2 depart early and wait for player 1, player 1 extracts player 2's surplus. In a supply chain setting, player 2's value of the meeting would be mostly determined by the payment for the ful-llment of the contract. For player 1, unlike raising this payment to lower player 2's departure time, raising player 2's -ne for late arrival is costless and also guarantees that player 2 cannot depart comparatively late.

Liquidated damages can compensate players for their wait costs. As discussed in the previousdraisingv44(pl,8(ln)Td [(viousd)-p295(rm299(thys)(29(assemblyeir)-304(219(estts.)025(v)25(al)-216 when players value the meeting more and depart at earlier times, since both players expect the other player to arrive earlier, both will abandon the meeting place earlier than before.

Suppose players initially  $x_5$  > 0 instead of  $s^-$  In this case, as proposition 4 and gure 6 show, in the set of these Nash equilibria decreasing in the players' values of the meeting. Meeting probability,  $\frac{(\bar{s}-s)^2}{2}$  $\frac{10^{2}}{2}$ )<sup>2</sup> is increasing ins. Therefore, higher values of meeting lead to a lower meeting probability in this case also. However, and the or smaller. This guarantees that when players initially  $x_S$ , the in mum of meeting probability is<sup>2</sup>.

One way people can move to a Nash equilibrium with high meeting probability is the following script. A person may start by asking the question of "When is a good time for you to meet?". After the two people nd a meeting time at which they can arrive with high reliability, they could promise that "We won't come early but we will wait moderately".

When players are constrained by start time variation, this script can lead them to a Nash equilibrium of proposition 3 and a meeting probability greater to arBy saying, "We won't

## Appendix 1. Intermediate results and proofs

The lemmas and propositions that are stated and/or proven here are about the basic attributes of the game and are used elsewhere to derive other results. When any of the four equivalent conditions in the lemma below is satis ed, the players meet. Reformulating the meeting condition helps prove many other results.

Lemma 2.

```
\max a_1; a_2g minf z<sub>1</sub>; z<sub>2</sub>g (7)
    $
    a_1 = a_2, a_1 \quad a_2 \quad z_1 \text{ or } a_2 \quad a_1 \quad z_2 (8)
    $
    a_1 a_2 a_1 or a_2 a_1 a_2 a_3 a_4 a_2 (9)
    $
    a_2 z<sub>1</sub> and a_1 z<sub>2</sub> (10)
Proof. I will rst prove (7) ! (8). Supposa_1 = a_2. The consequent holds. Using symmetry,
```

```
supposæ_1 < a_2 \ a_2 \ z_1 \ a<sub>2</sub> maxa_1; z<sub>1</sub>g! a<sub>2</sub> z<sub>1</sub>. Thusa<sub>1</sub> a<sub>2</sub> z<sub>1</sub>.
    Now I will prove (8)! (9). If a_1 = a_2, a_1 = a_2 a_1. Using symmetry, if a_1 a_2 a_1,
a_1 a_2 a_1 a_2.
    Now I will prove (9)! (7). Using symmetry, i\mathfrak{b}_1 a_2 z_1, a_1 a_2 z_2.
    Equations 7, 8 and 9 are equivalent.
    Now I will prove (7)! (10). If equation 7 holds pax a_1; a_2g z_1 and max a_1; a_2g z_2.
    Now I will prove (10)! (9). Using symmetry, if equation 10 holds and a_2, a_1, a_2
```
 $Z_1$ .

The following proposition is used in marginal analysis. The proposition's (1) is used to state the marginal expected utility of actionable abandonment tmne, he proposition's (2) is used to nd the sign of the marginal expected utility of actionable abandonment time, Proof. Using symmetry, I say = 1. Suppose<sub>1</sub> is differentiable inw<sub>1</sub>,  $q_2$  exists and  $q_2$  is continuous ird. Fix d<sub>1</sub>, a<sub>1</sub>, z<sub>1</sub> and $z_1^0$  z<sub>1</sub> so that they are possible values anad  $z_1^0$ g d. The following de nition slightly abuses notation.

4 ( $z_1^0$ ;  $z_1$ )  $E(u_1]d_1$ ;  $a_1$ ;  $z_1^0$ ;  $a_2$ )  $E(u_1]d_1$ ;  $a_1$ ;  $z_1$ ;  $a_2$ )

If  $a_2$   $a_1$   $z_2$ , 4  $(z_1^0; z_1) = 0$ . 1 If  $a_2 \quad z_2 < a_1$ ,  $4 \left( z_1^0; z_1 \right) = c_1(a_1 \quad d_1; z_1^0 \quad a_1) + c_1(a_1 \quad d_1; z_1 \quad a_1).$ If  $a_1 \quad a_2 \quad z_1$ ,  $4 \left( z_1^0; z_1 \right) = 0$ : If  $a_1$   $z_1 < a_2$   $z_1^0$ ,  $4$   $(z_1^0; z_1) = \overline{m}_1$   $c_1(a_1 \quad d_1; a_2 \quad a_1) + c_1(a_1 \quad d_1; z_1 \quad a_1)$ . If  $a_1$   $a_1$   $a_2$   $a_2$ ,  $a_1$   $a_2$   $a_3$   $a_1$   $a_2$   $a_3$   $a_1$   $a_2$   $a_1$   $a_2$   $a_3$   $a_1$   $a_2$   $a_3$ 

If  $g_2$  exists,  $P(a_1 = a_2) = 0$ .

$$
E(u_1jd_1; a_1; z_1) = E(u_1jd_1; a_1; z_1) = \overline{n}_1 P(a_1 \quad z_1 < a_2 \quad z_1^0)
$$
\n
$$
(P(a_2 \quad z_2 < a_1) + P(a_1 \quad z_1 \quad z_1^0 < a_2)) (c_1(a_1 \quad d_1; z_1^0 \quad a_1) \quad c_1(a_1 \quad d_1; z_1 \quad a_1))
$$
\n
$$
Z_{z_1^0} (c_1(a_1 \quad d_1; x \quad a_1) \quad c_1(a_1 \quad d_1; z_1 \quad a_1)) g_2(x) dx
$$
\n
$$
= \overline{n}_1 \quad g_2(x) dx
$$
\n
$$
(P(z_2 < a_1) + 1 \quad G_2(z_1^0)) (c_1(a_1 \quad d_1; z_1^0 \quad a_1) \quad c_1(a_1 \quad d_1; z_1 \quad a_1))
$$
\n
$$
Z_{z_1^0} (c_1(a_1 \quad d_1; x \quad a_1) \quad c_1(a_1 \quad d_1; z_1 \quad a_1)) g_2(x) dx
$$

By the fundamental theorem of calculus,  $\left(\frac{1}{2}\right) = g_i(z_i^0)$  when the domain ot is d for the differentiation. Therefore, by the Leibniz integral rule, for the same domain for differentiation,

$$
\frac{\P{E(u_i|d_1;a_1; Z^0_1)}}{\P{Z^0_1}} = \bar{m}_1 g_2(Z^0_1) \quad (P(z_2 < a_1) + 1 \quad G_2(Z^0_1)) \frac{\P{c_1(a_1 \quad d_1; Z^0_1 \quad a_1)}}{\P{Z^0_1}}.
$$

This proves (1). Now I will prove (2) with the xed values from (1).

$$
P(z_2 < a_1) + 1 \quad G_2(z_1) = P(z_2 < a_1) + P(z_1 < a_2)
$$
 (12)

Suppos $\mathfrak{g}_2$  <  $a_1$  and  $a_1$  <  $a_2$ . If  $a_1$  a<sub>2</sub>,  $a_1$  a<sub>2</sub>,  $a_1$  a<sub>2</sub>,  $a_1$ ,  $a_2$  a<sub>1</sub>,  $a_2$  a<sub>1</sub>,  $a_1$ g and  $f z_1 < a_2 q$  are disjoint sets.

$$
P(z_2 < a_1) + P(z_1 < a_2) =
$$
\n
$$
P(f z_2 < a_1 g [f z_1 < a_2 g] = 1 \quad P(f a_1 \quad z_2 g \setminus f a_2 \quad z_1 g) = 1 \quad E(M) \quad (13)
$$

Here, the last equality is by lemma 2 and equation 10. By equations 12 and 13, I have the following.

$$
P(z_2 < a_1) + 1 \quad G_2(z_1) = 1 \quad E(M|a_1; z_1) \tag{14}
$$

Lemma 3. Suppose gand  $q_2$  exist.

$$
E(m_{j}d_{j};d_{j};z_{i};z_{j}) = \frac{Z_{z_{i}}}{d_{i}}G_{j}(x-d_{j})g_{j}(x-d_{j})dx
$$
  
\n
$$
Z_{z_{i}}G_{j}(x-d_{j})G_{j}(x-d_{j})dx
$$
\n(15)

Proof. Using symmetry, I will prove for  $= 1$ . E(m<sub>1</sub>jd

 $SinceG<sub>1</sub> andG<sub>2</sub> have PDF's, they are absolutely continuous. Therefore, I can use integration$ by parts for the last equalify.

I now have  $a_1 < a_2$  m<sub>1</sub> dP =  $\frac{R_{z_1}}{d_1}$  $d_1^{2_1} G_1(x \cdot d_1) g_2(x \cdot d_2) dx$ . Recall that  $m_1 = \bar{m}_1$  if and only if the meeting succeeds. Therefore, symmetry gives,  $m_1$  dP=  $\frac{R_{z_2}}{d_2}$  $d_2^{22}G_2(x \t d_2)g_1(x \t d_1)dx$ 

$$
E(m_1) = \bar{m}_1(\begin{array}{cc} Z_{z_1} & Z_{z_2} \\ d_1 & G_1(x & d_1)g_2(x & d_2) dx + \end{array} \begin{array}{cc} Z_{z_2} \\ d_2 & g_1(x & d_1)G_2(x & d_2) dx \end{array} \tag{16}
$$

The above lemma calculates the expected bene t of the game using integration. To understand lemma 3, I can refer to lemma 2 and formula 8. In a continuous setting like this one where the probability of the players meeting by arriving at exactly the same time is 0, I only need consider two scenarios of a successful meeting. a i z<sub>i</sub> includes the scenario where playeri comes and player i comes after playeri but before playeri abandons the meeting place.  $a_i$  a  $z_i$  includes the scenario where player comes and player comes after player i but before player i abandons the meeting place. I assume a<sub>i</sub> for now and this means that the  $a_i$  a i z i and a i  $a_i$  z i are mutually exclusive. One player must come rst anda<sub>i</sub> < a<sub>i</sub> anda <sub>i</sub> < a<sub>i</sub> cannot be true at the same time. In ordera for a i z<sub>i</sub> to happen, player i needs to arrive between andz<sub>i</sub> (inclusive). Also, player needs to arrive before player i. This explains the  $\frac{R}{A}$  $d_i^{(2)} G_i(x-d_i)g_i(x-d_i) dx$  part of equation 15. The  $R_{Z_{i}}$  $d_i^2$  i g<sub>i</sub>(x d<sub>i</sub>)G  $_i$ (x d i)dxpart is explained in a similar way.

#### Appendix 2. Lemma and proofs used in subsection 4.1

Lemmas used in this section but not found in this paper are in chapter 1 of the Supd calc z

If formula 17 holds, I have the following.

8a<sub>i</sub> 2 [d<sub>i</sub>;d <sub>i</sub>] : d <sub>i</sub> + 12 z<sub>i</sub>  $(a<sub>i</sub>)$  (18)

Whena<sub>i</sub> 2 [d i; di + 1], lemma 16's (3) means following.

$$
P(z_i < a_i) = 0: \\
 P(z_i < a_i) + \frac{d_i + 1}{2} \frac{a_i}{2} \frac{1}{n_i}
$$

Therefore, the following holds by lemma 11.

8a<sub>i</sub> 2 [d <sub>i</sub>;d<sub>i</sub> + 1] : d <sub>i</sub> + 12 z<sub>i</sub>  $(a<sub>i</sub>)$  (19)

By lemma 12, I have the following.

$$
8ai 2 [di; minf 2m + di 1; di + 1g) : di + 12 zi (ai) \qquad (20)
$$

Now, I will look into z  $_$ i. Whena  $_$ i 2 [d  $_$ i;d $_$ i + 1], lemma 16's (2) means following.

$$
P(z < ai) = 0:
$$
  
 
$$
P(z < ai) + \frac{d_i + 1}{2} \frac{a_i}{2} = \frac{1}{2} \bar{m}
$$

Therefore, the following holds by lemma 11.

$$
8a_i 2 [d_i; d_i + 1] : d_i + 12 z_i (a_i)
$$
 (21)

If a  $i$  2 [d<sub>i</sub> + 1;d  $i$  + 1], P(a<sub>i</sub> a  $i$  z<sub>i</sub>) = 1 and by lemma 19, I have the following.

 $\mathbf{i}$ 

8a i 2  $[d_i + 1; d_i + 1]$ : a i 2 z  $_i$ (a i)  $(a_i)$  (22)

 $a_i > d_i + 1$  is impossible.

By what I have gured out till now about<sub>i</sub> and z i. I know that when formula 17 is satis ed, the players  $n\mathbf{\dot{a}}$  andz  $_{i}$  of the Nash equilibrium optimal.

Next, I will look at d<sub>i</sub>. I will nd player i's utility in the Nash equilibrium. In the Nash equilibrium, by lemma 2 and formula 9,

 $E(M) = 1:$  (23)

The following is player i's cost in the Nash equilibrium.

$$
E(G) = E(r_i) + E(w_i) = \n\begin{array}{c}\n2 + a_i d_i \\
2 + a_j d_i \\
4 + a_j d + 1; d_i a_i d + 1; d_i a_i d + 1\n\end{array}
$$
\n
$$
Var(G) = E(T_i) + E(w_i) = \n\begin{array}{c}\n2 + a_i d_i \\
2 + a_j d_i \\
4 + a_j d + 1; d_i a_i d + 1\n\end{array}
$$
\n
$$
Var(G) = E(G_i) + E(w_i) = \n\begin{array}{c}\n2 + a_i d_i \\
4 + a_j d_i d + 1; d_i a_i d + 1\n\end{array}
$$
\n
$$
Var(G) = E(G_i) + E(w_i) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1; d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1; d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d_i d + 1; d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d_i d + 1; d_i d + 1; d_i d + 1\n\end{array}
$$
\n
$$
Var(G) = \n\begin{array}{c}\n2 + a_i d_i + 1; d_i d + 1; d_i d + 1; d_i d + 1\n\end{array}
$$
\n
$$
Var(G
$$

Therefore, in order for player i to weakly prefer coming to the meeting, the following condition is required.

$$
\bar{m}_i = \frac{1}{2} + \frac{(d_i + 1 + d_{i})^3}{6} + d_{i} + d_{i}
$$

Note that this condition makes the condition imposed by formula 17 unnecessary.

Fix the value ofd in the Nash equilibrium as d. By lemma  $\vec{a}$ , < d is not optimal. By lemma 17's (1),di > d i is not optimal. In nding the optimadi, I only need consided 2 [d;d d

Using the Leibniz integral rule, I now nd derivatives for the case where, in addition to the conditions aboved  $\lt d_i$  also holds.

$$
\frac{\P E(c_i)}{\P d_i} = (z_i \quad d_i
$$

If  $d^0$  <  $d_i$  + 1, the following derivative exists.

$$
\frac{\P E(M)}{\P d_i} = 1 \tag{33}
$$

$$
E(c_{\underline{i}}) = E(r_{i}) + E(w_{i}) =
$$
\n
$$
\frac{1}{2} + \frac{1}{d_{i-a_{i}} d_{i} + 1; d_{i-a_{i}} d_{i} + 1} \qquad \text{max } 0; a_{i} \quad a_{i} \text{ gdP} =
$$
\n
$$
\frac{1}{2} + \frac{1}{d_{i-x}} \qquad \text{x dy dx} = \frac{1}{2} + \frac{(d_{i} + 1 - d_{i})^{3}}{6} \qquad (34)
$$

If  $d^0$  <  $d_i$  + 1, the following derivative exists.

$$
\frac{\P E(c_i)}{\P d_i} = \frac{(d_i + 1 \ d_i)^2}{2} \tag{35}
$$

Recall that<sub> $z = d^0 + 1$  here. By equations 32 and 34, in order for player -i to weakly prefer</sub> coming to the meeting, the following condition needs to be ful lled.

$$
\bar{m} \quad \frac{1}{2} + \frac{(d_i + 1 \quad d \quad i)^3}{6} \tag{36}
$$

If  $d^0$  <  $d_i$  + 1, I have the following derivative by equations 33 and 35.

$$
\frac{\P E(u_i)}{\P d_i} = \bar{m}_i + \frac{(d_i + 1 + d_i)^2}{2}
$$

If formula 36 is ful-lled,  $\bar{m} = \frac{1}{2}$  $\frac{1}{2}$  and sinced $^0$   $\,$  d<sub>i</sub>, the following holds.

8d i 2 [d<sup>0</sup>,d<sub>i</sub> + 1]: 
$$
\overline{m}
$$
<sub>i</sub>  $\frac{(d_i + 1 \ d_i)^2}{2}$ 

In this case, player -i does not prefer to delay her departure.

Proof of Proposition 1.

Compare propositions 1 and 7. (103) from both propositions map to each other in order. Ignoring 0 probability events and for cases where the player j has a 0 probability to wait, (4) (6) of proposition 7 means (4) of proposition 1.

Proposition 8. In the Nash equilibria of proposition 1, the following properties hold.

$$
8i \ 2 \ f \ 1; 2g; z_i \quad a_i : \frac{\P G(a_i \quad d_i; z_i \quad a_i)}{\P z_i} = 1 \tag{37}
$$

8i 2 f 1; 2g; a<sub>i</sub> 2 [d<sub>i</sub>; d<sub>i</sub> + 1]: 
$$
\frac{g_i(z)}{P(z_i - a_i) + 1} = \frac{g_i(z)}{1 - G_i(z_i)}:
$$
 (38)

$$
8a_2 2 [d_2; d_2 + 1]: \frac{g_1(z_2)}{1 - G_1(z_2)} = \frac{\ge 0}{\ge \frac{1}{d_1 + 1 - z_2}} \qquad \qquad \begin{array}{c} z_2 2 [d_2; d_1) \\ z_2 2 [d_1; d_1 + 1] \end{array} \tag{39}
$$

If 
$$
z_2 = d_1 + 1
$$
,  $g_1(z_2) = 1$ . If  $z_2 > d_1 + 1$ ,  $g_1(z_2) = 0$ .  
\n
$$
8a_1 2 [d_1; d_1 + 1]: \frac{g_2(z_1)}{1 - G_2(z_1)} = \frac{\frac{1}{d_2 + 1} z_1}{\frac{1}{d_1}} \qquad \text{does not exist.} \qquad \frac{z_1 2 [d_1; d_2 + 1]}{1 - d_2 + 1} \qquad (40)
$$

If 
$$
z_1 = d_2 + 1
$$
,  $Q_2(z_1) = 1$ . If  $z_1 > d_2 + 1$ ,  $Q_2(z_1) = 0$ .

$$
\frac{8}{\pi} \sum_{\substack{1 \text{odd } n}}^{\infty} \frac{1}{\pi} \left( \frac{1}{\pi} \right) \frac{1}{\pi} \left( \frac{1}{\pi} \right) \frac{1}{\pi} \left( \frac{1}{\pi} \right) \frac{1}{\pi} \frac{1}{\pi} \frac{1}{\pi} \sum_{\substack{1 \text{odd } n}}^{\infty} \frac{1}{\pi} \frac{1}{\
$$

I already have the derivatives for the case when the domal  $a$   $\le$   $[z_1 \quad 1; d_1]$  and it is a proper interval. I can use formula 26 and 28.

$$
\frac{\P E(M)}{\P d_2} = d_1 \quad d_2 \quad 1
$$
  

$$
\frac{\P E(c_2)}{\P d_2} = \frac{(d_2 \quad d_1)^2 + 1}{2}
$$

For the case where the domain disease  $[d_1; z_1]$ , I have the following equations.

$$
E(M) = \begin{vmatrix} Z_{d_{1}+1} & Z_{Z_{1}} & Z_{d_{1}+1} & Z_{Z_{1}} \\ d_{2} & X & d_{2}dx + \frac{Z_{Z_{1}}}{d_{2}} & X & d_{1}dx \end{vmatrix}
$$
  
\n
$$
\frac{\P E(M)}{\P d_{2}} = (d_{1} + 1 + d_{2}) (d_{2} + d_{1}) = 1
$$
  
\n
$$
E(Q_{2}) = \begin{vmatrix} Z & Z & Z \\ d_{1} + 1 & a_{2} & d_{2} + 1 \\ d_{1} + 1 & a_{2} & d_{2} + 1 \end{vmatrix}
$$
  
\n
$$
E(Q_{1}) = \begin{vmatrix} Z & Z & Q_{2}dP + \frac{1}{2} & a_{1} & a_{2} & a_{2} & d_{2}dP + \frac{1}{2} \\ d_{1} + 1 & a_{2} & d_{2} + 1 \end{vmatrix}
$$
  
\n
$$
E(Q_{1}) = \begin{vmatrix} Q_{1} & Q_{2} & Q_{1} & Q_{2} & Q_{2} & Q_{2} & Q_{2} \\ d_{2} + 1 & Z_{1} & Q_{2} & Q_{2} & Q_{1} & Q_{2} \end{vmatrix}
$$
  
\n
$$
E(Q_{1}) = \begin{vmatrix} Q_{1} & Q_{1} & Q_{2} & Q_{1} & Q_{2} & Q_{2} \\ d_{2} & Q_{1} & Q_{2} & Q_{2} & Q_{2} & Q_{2} \end{vmatrix}
$$
  
\n
$$
E(Q_{1}) = \begin{vmatrix} Q_{1} & Q_{1} & Q_{2} & Q_{2} & Q_{2} & Q_{2} \\ d_{2} & Q_{1} & Q_{2} & Q_{2} & Q_{2} & Q_{2} \end{vmatrix}
$$
  
\n
$$
E(Q_{2}) = \begin{vmatrix} Q_{1} & Q_{2} & Q_{1} & Q_{2} & Q_{2} & Q_{2} & Q_{2} & Q_{2} \\ d_{1} & Q_{2} & Q_{1} & Q_{2} & Q_{2} & Q_{2} \end{vmatrix}
$$
  
\n
$$
E(Q_{1}) = \begin{vmatrix} Z_{1} & Z_{2} & Z_{1} & Q_{2} & Q_{1} & Q_{2} & Q_{2} & Q_{2} \\ d_{2} & Q_{2} & Q_{2} & Q
$$

$$
E(c_{2}) =
$$
\n
$$
Z_{d_{2}+1}
$$
\n
$$
Z_{d_{1}+1}
$$
\n
$$
Z_{d_{1
$$

If the domain isd<sub>2</sub> d<sub>1</sub> + 1,  $E(M) = 0$  and  $E(c_2) = 0.5$ .

$$
\frac{\P E(M)}{\P d_2} = \frac{\P E(c_2)}{\P d_2} = 0
$$

If the domain  $isd_2$  d<sub>1</sub> 1,

$$
E(c_2) = \begin{cases} 2 & Z_{d_2+1}Z_{d_1+1} \\ a_1 & a_2 dP = \begin{cases} d_2 & d_1 \\ a_2 & d_1 \end{cases} \end{cases} \text{ y } x dy dx = d_1 \text{ } d_2
$$

and

When the domain  $id_1 2 [d_2 + 1; z_2]$  and it is a proper interva $E(M) = z_2$  d<sub>1</sub> by lemma 2

Appendix 3. Results and proofs used in subsection 4.2

The above lemma deals with the distribution of player i's arrival timelt states  $P(a_i \times a)$ and $\frac{\P P(a_i - x)}{\P x}$ . De nition 3 uses these to create de nition 3's CDF and PDF.

Proposition 9. Under assumption 3 for both players and assumption 4 for playethe following formulas hold for player i when  $s = s + 1$ .

$$
(1)
$$

$$
E(M \mid d_i) = \begin{cases} 8 & \text{if } \frac{(5-3)^2}{2} \\ > (5 - \frac{(5-3)^2}{2})(5+1-d_i) & d_i \geq [5, 5+1] \\ 0 & d_i > 5+1 \end{cases}
$$

(2) If  $d_i$  s,

$$
E(w_{ij}d_{i}) = \begin{cases} Z_{s}Z_{\bar{s}} & Z_{s}Z_{s+1} \\ d_{i}S_{s} & Z_{s}Z_{s+1} \\ Z_{\bar{s}}Z_{\bar{s}} & Z_{\bar{s}}Z_{s+1} \\ g_{x} & (y \ x) y dy dx + \begin{cases} (y \ x) \bar{s} dy dx \\ g_{x} & (y \ x) \bar{s} dy dx \end{cases} \\ \frac{Z_{d+1}}{s} \frac{s+1}{s} \frac{x}{\bar{s}} & Z_{\bar{s}}(s+1 \ x) dx + (1 \ \bar{s} + \frac{(\bar{s} \ s)}{2})(s \ d_{i} + 0.5).
$$

If  $d_i$  2 [ $s$ ;  $\bar{s}$ ],

$$
E(w_{ij}d_{ij}) = \sum_{\substack{d_{ij} \\ z_{ij} \neq 1}}^{Z_{\bar{S}}Z_{\bar{S}}} (y \ x) y dy dx + \sum_{\substack{d_{ij} \\ z_{ij} = 1}}^{Z_{\bar{S}}Z_{\bar{S}}} (y \ x) \bar{s} dy dx
$$
\n
$$
+ \sum_{\bar{S}}^{Z_{\bar{S}}Y_{\bar{S}}} \frac{1}{2} \bar{s} (s+1 \ x) dx
$$
\n
$$
+ (1 \ \bar{s} + \frac{(\bar{s} \ s)^{2}}{2})(s+1 \ d_{ij}) \frac{s+1 \ d_{ij}}{2}.
$$
\n
$$
(47)
$$

If 
$$
d_i
$$
 2 [ $\bar{s}$ ,  $\underline{s}$ + 1],

 $\sf l\sf f$ 

$$
E(w_{ij}d_{i}) =
$$
\n
$$
Z_{\frac{S+1}{d_{i}}} \frac{S+1}{2} X_{\frac{S}{d_{i}}} = 1 \quad x) dx + (1 \quad \bar{S} + \frac{(\bar{S} \quad \bar{S})^{2}}{2}) (\bar{S} + 1 \quad d_{i}) \frac{S+1}{2} \quad d_{i}
$$
\n
$$
d_{i} \quad \bar{S} + 1,
$$
\n(48)

$$
E(w_{i}jd_{i}) = 0:
$$

Proof. (1) uses the fact that whene  $s + 1$ , by lemma 2 and formula 8, the players meet when  $a_i$   $s+1$  anda  $i$   $s+1$ .

(2) uses the fact that when  $X \simeq 891 7.9 1$ .[(()]TJ/F79 10.9091 Tf 4.232 0 Td [(s)]TJ ET q 1 0 0 1 270.3 96 1 7.9 1.[(()]TJ/F79 10.9091 Tf 4.232 0 Td [(s)]TJ ET q 1 0 0 1 270.3 Example 2. Suppose player -i's arrival time follows de nition 3 and that  $i = s + 1$ .

 $(1)$  Under assumption 3, when and a are given,

$$
\frac{\P\mathsf{G}(a_i \quad d_i; z_i \quad a_i)}{\P z_i} = 1:
$$

(2) when a is given,

$$
\frac{g_{i}(z_{i})}{E(1_{P(z_{i} < a_{i})}j a_{i}) + 1 G_{i}(z_{i})} = \frac{g_{i}(z_{i})}{P(z_{i} < a_{i}) + 1 G_{i}(z_{i})}
$$

(3) If  $a_i \, 2 \, [0; s+1]$ ,  $a_i \, 8 \, and \, s < 1$ ,

1 G<sub>i</sub>(z)  
 
$$
\frac{g_i(z)}{P(z_i < a_i) + 1 G_i(z_i)}
$$

i

Next, I will prove that if s exists, s  $s < \frac{1}{3}$  $\frac{1}{3}$ .

$$
\frac{d(\frac{1}{\bar{s} \cdot \bar{s}} + \frac{\bar{s} \cdot \bar{s}}{2})}{d(\bar{s} \cdot \bar{s})} = \frac{1}{(\bar{s} \cdot \bar{s})^2} + \frac{1}{2} < 0
$$
\n(49)

 $\bar{W}(\underline{S}; \vec{S}) = \frac{1}{\bar{S} \cdot \underline{S}} + \frac{\bar{S} \cdot \underline{S}}{2}$  $\frac{1}{2}$  is decreasing in  $\overline{\phantom{a}}$  s.

$$
\frac{\P(2(\bar{s} \ \underline{s}) \ (\bar{s} \ \underline{s})^2)}{\P(\bar{s} \ \underline{s})} = \underline{s} + 1 \ \bar{s} > 0 \tag{50}
$$

 $2(\bar{s} \quad \underline{s})$   $(\bar{s} \quad \underline{s})^2$  is increasing ins<sup>-</sup> s.

Consider the case where  $\bar{s}$  0:5. This implies  $\bar{s}$  0:5.

$$
\overline{i}(\underline{s}; \overline{s}) = \frac{6 + 2(\overline{s} + 3)(\underline{s} + 1 \overline{s})^3 + 3((\overline{s} - \underline{s})^2 \overline{s})(\underline{s} + 1 \overline{s})^2}{(12\overline{s} - 6(\overline{s} - \underline{s})^2)(\underline{s} + 1 \overline{s})}
$$
\n(51)  
\n6  
\n(51)  
\n(52)  
\n(53)  
\n(54)  
\n(55)  
\n(56)  
\n(57)  
\n(58)  
\n(59)  
\n(51)  
\n(54)  
\n(55)  
\n(56)  
\n(57)  
\n(58)  
\n(59)  
\n(59)  
\n(51)  
\n(51)  
\n(52)  
\n(54)  
\n(55)  
\n(56)  
\n(59)  
\n(59)  
\n(51)  
\n(51)  
\n(55)  
\n(56)  
\n(59)  
\n(59)  
\n(51)  
\n(51)  
\n(59)  
\n(51)  
\n(51)  
\n(53)  
\n(55)  
\n(56)  
\n(59)  
\n(59)  
\n(51)  
\n(51)  
\n(53)  
\n(54)  
\n(55)  
\n(56)  
\n(57)  
\n(59)  
\n(59)  
\n(51)  
\n(51)  
\n(59)  
\n(51)  
\n(51)  
\n(59)  
\n(51)  
\n(51)  
\n(59)  
\n(51)  
\n(51)  
\n(51)  
\n(51)  
\n(53)  
\n(54)  
\n(55)  
\n(56)  
\n(59)  
\n(51)  
\n(51)  
\n(51)  
\n(51)  
\n(52)  
\n(53)  
\n(54)  
\n(55)  
\n(56)  
\n(59)  
\n(51)  
\n(51)  
\n(51)  
\n(52)  
\n(53)  
\n(54)  
\n(55)  
\n(56)  
\n(59)  
\n(51)  
\n(51)  
\n(51)

Here, the rst weak inequality uses equation 34.

$$
\bar{w}(\underline{s}; \bar{s}) = \frac{1}{\bar{s}} \frac{\bar{s}}{\underline{s}} + \frac{\bar{s}}{2} = \frac{1}{\bar{s}} \frac{\bar{s} + \underline{s}}{\underline{s}} + \frac{\bar{s}}{2} = \frac{\bar{s}}{\bar{s}} \frac{\underline{s}}{\underline{s}} = \frac{1}{\bar{s}} \frac{\bar{s}}{\underline{s}} + \frac{\bar{s}}{2} = \frac{\bar{s}}{\bar{s}} \frac{\underline{s}}{\underline{s}} \quad (52)
$$

By formula 49, I have the following.

**SIS** 

$$
\bar{w}(\bar{s}, \bar{s})
$$
 2 +  $\frac{1}{4}$   $\frac{\bar{s}}{\bar{s} \ \bar{s}}$  1  $\frac{5}{4}$   $\bar{s}$  (53)

Whens  $\frac{1}{4}$  $\frac{1}{4}$ , formulas 51 and 53 mean that this is not a Nash equilibrium  $\bf \hat{\bm{\Sigma}}$ uppo $\rm s\hat{\bm{\Sigma}}$ n 2Supളpos<del>]</del>e

125 6(5 S)<sup>2</sup> = 6(95 925<sup>0</sup> S)<sup>2</sup>) 43<sub>0</sub>21(5<sup>4.2</sup>S)4 25d (9)]] 29428544995905347dr77.1962170.4804.4736[M)]TOVF7 Combine the above result with  $\frac{12}{25 \cdot 6(5-5)^2}$  from formula 51.

$$
\bar{i}(\underline{\mathbf{s}};\vec{\mathbf{s}}) > \frac{4}{3} \tag{54}
$$

Formula 53 and inequality 54 means that this is not a Nash equilibrium.

Here, the rst weak inequality uses equation 34. The penultimate weak inequality uses the fact that  $\frac{6-3x-6s}{6x+12s}$  is decreasing inx and formula 50. Combine formulas 55 and 56. In a Nash equilibrium, the following holds.

$$
\frac{13}{4} \quad 3\overline{s} > \frac{9}{12\overline{s}} \quad \frac{1}{\overline{3}} + \frac{1}{11}
$$
\n
$$
(\frac{13}{4} \quad 3\overline{s})(12\overline{s} \quad \frac{2}{3}) > 9 + \frac{1}{11}(12\overline{s} \quad \frac{2}{3})
$$

Next, I will prove that when $\bar{i}(s\ s)$   $\bar{w}(s\ s)$ ,  $\bar{i}(s\ s)$  is decreasing in TBy the quotient rule and equation 34, it is suf cient to show that the following inequality holds.

$$
\frac{\mathbb{I}\left(\left(12\bar{s} \quad 6(\bar{s} \quad \underline{s})^2\right)(\underline{s}+1 \quad \bar{s})\right)}{\mathbb{I}^{\bar{s}}}
$$
\n6+2\bar{s}(\underline{s}+1 \quad \bar{s})^3 + (6 \quad 6\bar{s}+3(\bar{s} \quad \underline{s})^2)(\underline{s}+1 \quad \bar{s})^2} (12\bar{s} \quad 6(\bar{s} \quad \underline{s})^2)(\underline{s}+1 \quad \bar{s})\n
$$
\frac{\mathbb{I}\left(6+2\bar{s}(\underline{s}+1 \quad \bar{s})^3 + (6 \quad 6\bar{s}+3(\bar{s} \quad \underline{s})^2)(\underline{s}+1 \quad \bar{s})^2}{\mathbb{I}^{\bar{s}}}\right)}{\mathbb{I}^{\bar{s}}}
$$
\n(60)

$$
\frac{\P(6+2\bar{s}(\underline{s}+1-\bar{s})^3+(6-6\bar{s}+3(\bar{s}-\underline{s})^2)(\underline{s}+1-\bar{s})^2}{\P\bar{s}} =
$$
\n6(\underline{s}+1-\bar{s})^3 - 6\bar{s}(\underline{s}+1-\bar{s})^2 - (12-12\bar{s}+6(\bar{s}-\underline{s})^2)(\underline{s}+1-\bar{s}) < 0 \tag{61}

$$
\frac{\P((12\bar{s} \quad 6(\bar{s} \quad \underline{s})^2)(\bar{s} + 1 \quad \bar{s}))}{\P \bar{s}} = 12((\bar{s} + 1 \quad \bar{s})^2 \quad (\bar{s} \quad \frac{(\bar{s} \quad \underline{s})^2}{2}))
$$
(62)

Consider the case whese  $\frac{5}{9}$   $\frac{1}{4}$  $\frac{1}{4}$ .

$$
\frac{12((\underline{s}+1 \ \ \overline{s})^2 \ \ (\underline{s} \ \ \frac{(\underline{s} \ \ \underline{s})^2}{2}))}{(12\overline{s} \ \ 6(\overline{s} \ \ \underline{s})^2)(\underline{s}+1 \ \ \overline{s})} = \frac{2(\underline{s}+1 \ \ \overline{s})}{2\overline{s} \ \ (\overline{s} \ \ \underline{s})^2} \ \ \frac{1}{\underline{s}+1 \ \ \overline{s}}
$$

Here, the rst weak inequality use  $\frac{\sqrt{(25-(5-s)^2)}}{\sqrt{5}}$  $\frac{(s-s)^2}{\sqrt{s}}$  > 0. Therefore, a suf cient condition is the following.

(6+ 2¯s(s+ 1 s¯) <sup>3</sup>+( 6 6¯s+ 3(s¯ s) 2 )(s+ 1 s¯) 2 ) 28 <sup>39</sup> <sup>&</sup>gt; 6(s+ 1 s¯) <sup>3</sup> 6¯s(s+ 1 s¯) 2 (12 12¯s+ 6(s¯ s) 2 )(s+ 1 s¯) 6(s+ 1 s¯) <sup>3</sup>+ 6¯s(s+ 1 s¯) <sup>2</sup>+( 12 12¯s+ 6(s¯ s) 2 )(s+ 1 s¯) > (6+ 2¯s(s+ 1 s¯) <sup>3</sup>+( 6 6¯s+ 3(s¯ s) 2 )(s+ 1 s¯) 2 ) 28 39 (63) ¶(6(s+ 1 s¯) <sup>3</sup>+ 6(s¯ s) 2 (s+ 1 s¯)) ¶(s¯ s) = s ) <sup>+</sup> 3))sTf 11.187 7.310.9091 Tf 185.804 252Tf 5.758 0 Td [5 7.484 Td [(=)]TJ/F113 10.9091 Tf 10.9 0 Td [()]TJ/F76 10.9091 Tf 8.47.9091 Tf 4.244 8.9091 Tf 9.991 0 Td [(s)]TJ 1405 38.857)0.9091 Tf 5.759 0 Td [(+)]TJ/F76 10.9091 Tf 9.991 0 Td [(3)]TJ/F28 10.9091 Tf 5.91 0s ))sTf 11.187 7.310.9091 Tf 1391 Tf 10.5F282/F790 Td [(6)-128(¯)]TJ/F79 10.9091 Tf 5.455 0 Td [(s)]TJ/F28 1051 374 8091 29 0 Td [(+)]TJ/F76 10.9091 Tf 9.991 0 Td [(3)]TJ/F28 10.9091 Tf 5.455 0 Td [(()]TJ/F76 10.9091 Tf 5.629 0 Td [(¯)]TJ/F79 10.9091 Tf -1.397 0 Td [(s)]TJ/F113 10.9091 Tf 5.759 0 Td [()]TJf 8.47.9091 Tf 4.244 8.9091 Tf 9.991 0 Td091 Tf 14.221 3.7 J 0.436 w 5 Td [(+)]TJ/F76 10..90987 723

I transform the above usin  $\frac{28}{39}$  ( $\frac{54}{64}$ ) 64  $\frac{54}{16}$ ) < 0.

$$
6 \quad \frac{27}{64} + 6 \quad \frac{9}{16} + \frac{6}{16} \quad \frac{3}{4} > \frac{28}{39}(6 + 2 \quad \frac{27}{64} + \frac{3}{9} \quad \frac{9}{16})
$$

Since the above inequality holds, the  $\bar{S} = \frac{1}{4}$  $\frac{1}{4}$  case is proven. Now consider the case whese  $\frac{5}{2} < \frac{1}{4}$  $\frac{1}{4}$ .

$$
\frac{\P((\underline{s} + 1 \ \underline{s})^2 + \frac{(\underline{s} \ \underline{s})^2}{2})}{\P(\underline{s} \ \underline{s})} = 3(\underline{s} \ \underline{s}) \quad 2 < 0
$$

Therefore,

$$
(\underline{s} + 1 \ \ \overline{s})^2 \ \ (\overline{s} \ \ \frac{(\overline{s} \ \ \underline{s})^2}{2}) > \frac{19}{32} \ \ \overline{s}
$$

If  $\bar{s}$   $\frac{19}{32}$ , by formulas 60, 61 and 62, the case is provers  $\frac{19}{32}$ , formulas 60, 61 and 62 give me the following suf cient condition.



$$
\frac{\bar{s}}{\bar{s}} \frac{\frac{19}{32}}{0.5(\bar{s}} \frac{\bar{s}}{\bar{s}})^2 \frac{\bar{s}}{\bar{s}} \frac{\frac{19}{32}}{0.125}
$$
\n
$$
12(\bar{s} + 1 \bar{s})^4 + 12\bar{s}(\bar{s})
$$

Proof of Proposition 3.

Necessity is is by proposition 4's (1) and (2). I will prove suf ciencys $\mathbf{k}$  1 and  $\bar{n}_1 = \bar{n}_2 =$  $\bar{i}(\bar{s},\bar{s})$  w̄( $\bar{s},\bar{s}$ ), by lemma 28 $m\bar{s} > \frac{(\bar{s}-\bar{s})^3+3(\bar{s}-\bar{s})^2-3\bar{s}+6\bar{s}}{6\bar{s}-3(\bar{s}-\bar{s})^2}$  $\frac{65-3(5-3)}{65-3(5-5)}$  is satis ed. Then, lemma 21's (1) and lemma 25 show that assumption 4 for both players is a Nash equilibrium. Lemma 26 establishes that if  $\bar{s}$ = 1,  $\bar{i}(s; \bar{s})$   $\bar{w}(s; \bar{s})$  is violated.

Lemma 5. If  $\bar{s}$  < 1 and  $\bar{s}$  s  $p \frac{1}{2} \frac{2s}{5}$ ,  $\bar{i}(s; \bar{s}) > \bar{w}(s; \bar{s})$ Proof. Supposes  $\frac{1}{5}$  s = p  $\overline{2}$   $\overline{2s}$  + e for e 0. s p  $\overline{2}$   $2\overline{s}+e$ . From de nition 4, I have the following.

$$
s_p(\bar{s}) =
$$
\n
$$
(\frac{1}{2} + \bar{s}\frac{(s+1-\bar{s})^3}{6})^p \frac{z}{2\sqrt{2s}+e} + (2+2\bar{s}+\frac{e}{2})(1+\frac{e}{2\sqrt{2s}+e})^{\frac{e}{2}+\frac{s}{2}}}{(\frac{1}{2} + \bar{s}\frac{(s+1-\bar{s})^3}{6})^p \frac{z}{2\sqrt{2s}+e} + (2+2\bar{s}+\frac{e}{2})(1+\frac{e}{2\sqrt{2s}+e})^{\frac{e}{2}+\frac{s}{2}}}
$$

$$
p \frac{s_p(\bar{s})}{2 \ 2\bar{s} + e} = \frac{1}{2} + \bar{s} \frac{(s+1 \ \bar{s})^3}{6}
$$

By equation 48, I have the following equations.

$$
E(w_{i}jd_{i} = \bar{s}; z_{i} = \frac{s+1}{2}; s_{i}) = \frac{z}{s+1} \frac{s+1}{s} \frac{s+1}{2}
$$

## References

- Börjesson, Maria, Jonas Eliasson, and Joel P Franklin. 2012. "Valuations of travel time variability in scheduling versus mean-variance models insportation Research Part B: Methodological46 (7): 855-873.
- Brizzee, David. 1991. "Liquidated damages and the penalty rule: A reassessented t." L. Rev.,1613–1632.

Bump, Philip. 2014. "In 2014, Obama has been late by more than 35 hothe."

Fosgerau, Mogens, and Anders Karlstr ¨

- Kamien, Morton I, and Nancy L Schwartz. 1972. "Timing of innovations under rivalry." Econometrica<sub>43</sub>–60.
- Knight, Trevor E. 1974. "An approach to the evaluation of changes in travel unreliability: a "safety margin" hypothesis.Transportation 3(4): 393–408.
- Korte, Gregory, and John Fritze. 2018. "Trump and Putin hold two-hour, closed-door meeting on trade, nuclear arms and China" (July 16, 2018). Accessed August 11, 2023. https://www.usatoday.com/story/news/politics/2018/07/16/donald-trumpvladimir-putin-summit-helsinki/787257002/.
- Kwon, Jaimyoung, Tiffany Barkley, Rob Hranac, Karl Petty, and Nick Compin. 2011. "Decomposition of travel time reliability into various sources: incidents, weather, work zones, special events, and base capacitrath sportation research record 2229 (1): 28–33.
- Landen, Xander. 2022. "Putin Mocked After Foreign Leaders Keep Him Waiting at SCO Summit."Newsweek(September 17, 2022). Accessed September 25, 2022. https://www.newsweek.com/putin- mocked- after- foreign- leaders- keep- himwaiting-sco-summit-1743923.
- Lau, Stuart. 2022. "China's new vassal: Vladimir PutiPolitico Europe(June 6, 2022). Accessed September 25, 2022. https://www.politico.eu/article/china-new-vassalvladimir-putin/.
- Lee, Taekhyeon. 2018. "Fees for not showing up at a restaurant reservation in Japan are 100% at maximum."Kukminilbo(November 1, 2018). Accessed January 19, 2023. https://news.kmib.co.kr/article/view.asp?arcid=0924027747.
- Lee, Tom, and Louis L Wilde. 1980. "Market structure and innovation: A reformulation." The Quarterly Journal of Economice (2): 429-436.
- Li, Hao, Michiel CJ Bliemer, and Piet HL Bovy. 2009. "Modeling departure time choice under stochastic networks involved in network desigransportation research record2091 (1): 61–69.
- Li, Zheng, Alejandro Tirachini, and David A Hensher. 2012. "Embedding risk attitudes in a scheduling model: application to the study of commuting departure time." Transportation Scienc<sup>46</sup> (2): 170-188.
- Li, Zhuozheng, Huanxing Yang, and Lan Zhang. 2019. "Pre-communication in a coordination game with incomplete information."
- Ma, Alexandra. 2019. "Putin broke the habit of a lifetime and didn't show up late for his rst-ever meeting with Kim Jong Un. Insider (April 25, 2019). Accessed September 25, 2022. https://www.businessinsider.com/putin-kim-meeting-breaks-habitshows-up-early-2019-4.
- Malueg, David A, and Shunichi O Tsutsui. 1997. "Dynamic R&D competition with learning."The RAND Journal of Economics (4): 751-772.
- Reinganum, Jennifer F. 1983. "Uncertain innovation and the persistence of monopoly." The American Economic Review3 (4): 741–748.
- Robson, Arthur J. 1990. "Ef ciency in evolutionary games: Darwin, Nash and the secret handshake. "Journal of theoretical Biolog \$44 (3): 379–396.
- Rowe, Mary Budd, 1974a. "Re ections on wait-time: Some methodological questions." Journal of Research in Science Teaching (3): 263–279.
- Rowe, Mary Budd. 1974b. "Wait-Time and Rewards as Instructional Variables, Their In uence on Language, Logic, and Fate Control: Part One-Wait-Timun under Research in Science Teaching (2): 81–94.
- Rowe, Mary Budd. 1986. "Wait time: slowing down may be a way of speeding up!" Journal of teacher education<sup>7</sup> (1): 43-50.
- Senna, Luiz ADS. 1994. "The in uence of travel time variability on the value of time." Transportation21 (2): 203–228.
- Small, Kenneth A. 1982. "The Scheduling of Consumer Activities: Work Trips. American Economic Revie 2 (3): 467–479.
- Smith, J Maynard, and George R Price. 1973. "The Logic of Animal Con Nature 246 (5427): 15–18.
- Susilawati, Susilawati, Michael AP Taylor, and Sekhar VC Somenahalli. 2013. "Distributions of travel time variability on urban roadslöurnal of Advanced Transportation47 (8): 720–736.
- Swift, J Nathan, and C Thomas Gooding. 1983. "Interaction of wait time feedback and questioning instruction on middle school science teachidouit nal of Research in Science Teachin<sub>20</sub> (8): 721-730.
- Tasker, John P. 2018. "Trump arrives late and leaves early as G7 leaders talk gender, oceans and climate Canadian Broadcasting Corporation une 9, 2018). Accessed September 25, 2022. https://www.cbc.ca/news/politics/g7-leader-summitday-2-climate-gender-trump-1.4699374.
- Taylor, Michael AP. 2013. "Travel through time: the story of research on travel time reliability." Transportmetrica B: transport dynamids(3): 174–194.
- Taylor, Michael AP, et al. 2012. "Modelling travel time reliability with the Burr distribution." Procedia-Social and Behavioral Sciences 75-83.
- Thomson, J M. 1968. "The value of traf c managementournal of Transport Economics and Polic $\mathcal{Q}(1)$ : 3-32.
- Tobin, Kenneth. 1987. "The role of wait time in higher cognitive level learniRe wiew of educational researc $67$  (1):  $69-95$ .
- Tobin, Kenneth G. 1980. "The effect of an extended teacher wait-time on science achievement." Journal of Research in Science Teaching (5): 469-475.
- Walker, Shaun. 2015. "Why is Vladimir Putin always late ?" Guardian(June 11, 2015). Accessed January 30, 2023. https://www.theguardian.com/world/2015/jun/ 11/why-is-vladimir-putin-always-late-russian-president-tardiness-pope-francis.
- Wärneryd, Karl. 1993. "Cheap talk, coordination, and evolutionary stabil Games and Economic Behavids (4): 532-546.
- Wärneryd, Karl. 1991. "Evolutionary stability in unanimity games with cheap talk." Economics Letters36 (4): 375–378.
- Wong, Ho-kwan, and Joseph M Sussman. 1973. "Dynamic Travel Time Estimation on Highway Networks."Transportation Research(4): 355–370.
- Yeany, Russell H, and Michael J Padilla. 1986. "Training science teachers to utilize better teaching strategies: A research synthesical raal of Research in Science teaching23 (2): 85–95.
- Yoon, Yewon. 2022. "Two minds about restaurant reservation fees. . . "The tail wagging the dog" vs. "Excels at preventing no-shows Chosun Biz(August 22, 2022). Accessed January 19, 2023. https://biz.chosun.com/topics/tsocial/2022/08/ 22/RNBR2WXC4ZCLBLWPPLAUBINNNE/.
- Zapata, Asuncin, Amparo M Marmol, Luisa Monroy, and M Caraballo. 2018. "When the other matters. The battle of the sexes revisited.<sup>New</sup> Trends in Emerging Complex Real Life Problem501-509.